Reconsideration of this application and the objection of claims 24, 25 and 30-

32 are respectfully requested. Applicant has attempted to address every objection in the

Office Action dated April 28, 2009 (Paper No. 20090423) and believes the application is now

in condition for allowance. The claims have been amended to more clearly describe the

present invention.

In the Action, the Examiner states that the phrase "said separation devices" in

line 2 of claims 24, 25 and 30-32 and the phrase "said components" in line 2 of claim 28

lacks a prior antecedant basis. Applicant amended claims 24 and 25 to change the phrase

"said separation devices" to "said at least one first separation device" and also amended

claims 30-32 to change the phrase "said separation devices" to "said at least one separation

device." Applicant submits that the amendments to claims 24, 25 and 30-32 correct the

antecedant basis issues in these claims.

Additionally, the Examiner states that the phrase "said components" in claim

28, line 2 lacks a prior antecedant basis. Applicant amended claim 28 to change the phrase

"said components" to be "the at least one refined milk component" to correct the antecedant

basis issue in claim 28.

Applicant submits that in view of the above-identified amendments and

remarks, the claims in their present form are patentably distinct over the art of record and in

condition for allowance. Should the Examiner discover there are remaining issues which

7

US Serial No. 10/539,424 Amendment Dated: June 4, 2009 Response to Office Action Dated: April 28, 2009

may be resolved by a telephone interview, the Examiner is invited to contact Applicant's undersigned attorney at the telephone number listed below.

Respectfully submitted,

Customer No. 24978 June 4, 2009 300 South Wacker Drive

300 South Wacker Driv Suite 2500

Chicago, Illinois 60606 Telephone: (312) 360-0080 Facsimile: (312) 360-9315 GREER, BURNS & CRAIN, LTD.

By /Christopher S. Hermanson/ Christopher S. Hermanson Registration No. 48,244